

Roof Rack Awning Brackets

ITEM NO.	PART NUMBER	QTY.
1	1/4-20 X 0.50" Flanged Button Head	8
2	1/4-20 Nut Plate	8
3	Roof Rack Awning Mount	2




Figure 1: Assembly with hardware

Awning Brackets can be installed on either side of the roof rack.

1. Rest the awning on top of the roof rack in location you wish to place it. Measure the desired location of the first mounting bracket, it must be on one of the aluminum T-Slot cross bars. Ideally each bracket will be mounted $\frac{1}{4}$ the length of the awning away from the end.
2. Mount the first bracket to the awning using the hardware supplied with your awning.
3. Measure the distance to the desired rear mount. Remember the bracket must mount on an aluminum T-slot cross bar.
4. Mount the second bracket at the correct measured distance.



Figure 2: First bracket mounted



Figure 3: Ideal bracket spacing

5. Place the T-nuts (2) in the aluminum T-Slots.
6. Install the awning and brackets to the aluminum T-slot cross bar using the ¼-20 button head screws (1) and then adjust awning height as needed.



Figure 4: Installing the bracket and awning onto the cross bar




Figure 5: Adjusting height of awning

7. Move the bracket to the desired location then tighten all hardware.



Enjoy!!!

Disclaimer: The products sold by RCI Metalworks are intended for off-road use only, should not be modified, and are for use only on the vehicle(s) specifically stated. RCI Metalworks makes no warranties express or implied, including of fitness for a particular purpose or merchantability. RCI Metalworks will not be liable for any damages arising out of the use or misuse of its products. It is the customers' responsibility to ensure the products are safely and properly attached to the vehicle, and all products should be installed by trained professionals. We strive to maintain extremely high quality standards; however, all RCI Metalworks products are individually handcrafted, may vary slightly, and may contain minor imperfections. Due to the nature of raw aluminum, the material may have minor scratches and other blemishes caused by the manufacturing process, especially on the back side of product. RCI Metalworks is constantly seeking to improve its products and reserves the right to make changes to any product.